L	September 1, 1970	J
	Attention: John C.	
₹	MDD 4 3-4-3 C-4-4-4-1-1 1070	5X ⁻
	Sincerely yours, Senior Staff Scientist	
	PSC/c Enclosures	

THIS DOCUMENT IS UNCLASSIFIED WHEN SEPARATED FROM CLASSIFIED ATTACHMENTS

Declassification Review by NGA/DoD

		9717/c	25X1
· **	Approved For Release	2005/11/21 CIA-RDP78B05171A000500020045-4	25X1
•		Cary No 2 . Of C	2-e
_		September 1, 1970	
. •			r 0.
	To:	John C.	
	From:	,	25X1
	Subject:	Technical Progress Report No. 4 Contract No. 5226-03	
25X1	Reference:	2201201-TPR-4	
:	This is the fourt	n monthly contract technical progress	
25X1		R-4, covering the effort performed on	
25X1	· · · · · · · · · · · · · · · · · · ·	rom July 20, 1970 to August 20, 1970.	
		month emphasis was placed on the	
	· -	ng program being conducted at the	
25X1	•	. A series of image manipulation	
20/(1		ffected in the microscope that will	
	be reviewed here. The	macro-optical program being conducted	•
	in support of the	at the	25X1
	customer facility has	been involved with the set-up of the	
		image manipulation with a mercury arc	
	source, and with the d	esign of procedures and filters for	
•	image manipulation.		
	The micro-optical	program at has implemented	25X1
	image manipulation wit	h the use of transmission filters in	
	the back focal plane o	f the microscope objective and with	
	variable source diamet	er controls in the condenser elements.	
	The latter innovation	is implemented through the use of a	
	random varying phase f	ield, with positional freedom along	
•	the optical axis of a	collimated pinhole source. This	
	condenser configuration	n provides continuous control of	
		ha comment of the	
7	COOUP 1	THIS MATERIAL CONTAINS	

EXCLUDED FROM AUTOMATIC

CROUP 1

XCLUDED FROM AUTOMATIC

DUWNGRADINAPPROVED FOR Release 2005/11/24 CIA-RDP78B05174A000500020045-46-MESSIN ON EVELATION

DECLASSIFICATION

THIS MATERIAL CONTAINS INCOMMENTED ATTENDED THE NATIONAL DEPLACE OF THE NATI

2

luminance from high spatial coherence to incoherence. White light is used. The system is being tested with 2X, 4X and 10X objectives. At present the test target being used is a Diffraction Limited resolution target that was photographically recorded in S0380 ON material and subsequently contact printed onto 2430 DP material. All manipulations and their results are being completely analyzed and expectations are confirmed. Improvement in contrast and resolution was obtained. These results are being documented, and the system will be applied to operational type imagery for further evaluation.

The laboratory support program at the customers facility has progressed during this past month. Filters were designed, a program description was generated and the optical bench was aligned and optical components cleaned for operation. This program will be emphasized during the coming months to generate evidence of image manipulation capabilities.

First Milestone

At this time we wish to review the first quarter of the optical image manipulation program, referencing the program schedule in the contract proposal P-70-5 dated February 6, 1970. During the first four months we have implemented the itemized tasks as outlined in the above referenced document. The effort performed during this time period has placed the program slightly ahead of schedule as the literature search, analysis and characterization of filters and methods provided inputs for early implementation of micro-optical image manipulation. The prognosis from this effort is encouraging. Microscope objectives are excellent optical components but when applied to photo-interpreter applications, contrast and grain noise limitations become apparent. It was predicted

25X1

Approved For Release 2005/11/21 CA-RDP78B05171A000500020045-4

3

that several gains could be obtained by manipulation of the lens component frequency response. An early start in implementing this was obtained and some preliminary results confirm the predictions. Flexibility in a microscope optical system can yield contrast improvement providing high frequency enhancement. It is concluded at this first milestone of the program that predicted results, substantiated with preliminary tests, meet NPIC requirements.

Enclosed with this report are carbon copies of the lab notebook notes recording some aspects of the lab effort performed during the past month at the customers facility. This, together with activity summaries and program plans generated as a result of the support effort, encompass a complete outline of the effort performed at the laboratory facility.

25X1

1	1		

September 3, 1970

ACTIVITY SUMMARY

To:

From:

Subject:

Contract Visit to Customer Facility

5500-6076) 70R

Date:

August 25, 26,27, 1970

Reference:

2201201-AS-13

The objective this week was to further specify the parameters for high pass filters. This was to be done by evaluating results obtained from the processing system on the Beck bench and from previously fabricated filters. The first set of results obtained from the system showed that the system had to be cleaned up.

25X1

The remainder of the three days was applied to obtain a clean output. This included changing the microscope objectives before the pinhole, inserting a new 200 Watt Hg lamp and cleaning each of the system components. The complete system was then aligned. The end result showed that 25 and 100μ pinholes with a 10" collimating lens was too coherent. A 500μ pinhole proved to give good clean imagery except for the normal noise present in coherent systems. John will fabricate new pinholes between 100 and 500μ to see if smaller pinholes can be used.

Although the high pass filters were not evaluated this trip, the Beck bench was left at a point where filtering can begin.

25X1 25X1

MEMOD	ANDIN FOR T
MEMOR	ANDUM FOR: The Record
Re:	ZZ01Z01-A5-13
	Stutes the Beck
Ben	eh was 1. C.
7	warre filton
•	15 14 CANN 1 7 TI
P 1 7 7	was significantly a
>	restand is was found late
	laded was atchine
~ J	the anti-effection couling
-0 f a	transform lens
NO. 101	REPL
₩G 54 101	WH I CH

25X1